

2016 Replicated Trials: 103 – 112 Days



49K70 – 102 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	49K70	92	185.6	16.7	60.6	0.0	16.2	33,852
IA, Atlantic	49K70	79	167.4	14.6	59.7	0.0		31,363
IA, Bode	49K70	68	158.0	24.0	53.8	1.7	0.1	32,811
IA, Carroll	49K70	96	203.2	19.8	56.8	0.0	0.0	31,861
IA, DeWitt	49K70	90	217.0	18.0	59.8	0.8	0.0	33,852
IA, Luther	49K70	86	206.8	21.8	54.1	0.0	0.0	32,857
IA, Prairie City	49K70	97	218.0	18.9	56.8	0.0	0.0	29,870
IA, Reinbeck	49K70	87	197.5	17.7	56.0	0.0	0.0	32,857
IA, Richland	49K70	74	166.4	15.7	58.5	0.0	0.0	32,857
IA, Sheldon	49K70	85	201.6	23.2	60.0	0.8	0.0	33,852
IA, Slater	49K70	83	187.3	15.4	60.7	2.3	0.0	32,857
IL, Bloomington	49K70	83	164.8	17.5	59.2	0.0	0.0	33,852
IL, Flanagan	49K70	66	158.4	20.0	56.8			36,341
IL, Geneseo	49K70	83	199.8	18.2	59.0	0.0	0.0	32,857
IL, Harvard	49K70	75	201.1	19.8	58.5	0.0	0.0	32,857
IL, Monmouth	49K70	83	190.9	18.5	53.1			36,341
IL, Onarga	49K70	81	196.4	21.1		0.0	0.0	33,852
IL, Rochelle	49K70	80	183.6	19.1	59.6	0.0	6.1	32,857
IL, Roseville	49K70	80	202.1	17.3	59.9	0.0	0.0	32,857
IL, Tonica	49K70	80	187.5	19.2	58.4	0.0	22.8	32,857
IL, Troy Grove	49K70	76	181.3	19.3	60.9			35,346
IN, Bluffton	49K70	77	167.2	16.5		0.0	0.0	27,879
IN, Brookston	49K70	80	186.3	21.4	57.3	5.3	0.0	32,857
IN, New Haven	49K70	81	168.0	18.6	54.7	8.8	0.0	33,852
IN, Wabash	49K70	85	204.0	24.6	55.2			33,852
KS, Colby	49K70	101	150.8	14.1	62.8	0.1		33,852
NE, Arlington	49K70	102	206.9	19.7	55.0	1.6	49.8	32,110
NE, Stanton	49K70	86	178.7	19.6	56.3	0.0	19.6	26,572
NE, Tekamah	49K70	82	173.9	19.8	56.5	0.0	8.8	31,364
OH, Findlay	49K70	86	165.0	17.9		0.0	0.0	32,359
WI, Janesville	49K70	91	203.6	19.7		0.0	0.0	32,608
*	49K70	83	186.4	18.9	57.8	0.8	4.9	32,781

2016 Replicated Trials: 103 – 112 Days



48G35 – 101 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	48G35	98	197.8	16.5	60.7	0.0	47.8	33,852
IA, Atlantic	48G35	91	194.1	14.2	58.8	0.2		28,712
IA, Bode	48G35	110	253.9	20.7	54.7	0.0	0.0	32,857
IA, Carroll	48G35	96	203.4	17.9	58.6	0.0	0.0	27,381
IA, DeWitt	48G35	105	253.4	16.4	60.8	3.0	0.0	33,852
IA, Luther	48G35	100	238.0	21.2	54.2	0.8	0.0	32,857
IA, Prairie City	48G35	93	209.9	19.7	56.8	0.0	0.0	29,123
IA, Reinbeck	48G35	111	251.3	17.2	56.1	1.6	2.4	32,110
IA, Richland	48G35	96	216.4	13.7	58.6	0.0	0.0	32,857
IA, Sheldon	48G35	99	236.8	22.1	59.2	3.7	0.0	33,852
IA, Slater	48G35	107	240.0	14.3	59.2	0.0	0.0	32,857
IL, Bloomington	48G35	105	208.5	15.7	57.6	0.0	1.5	33,852
IL, Flanagan	48G35	104	248.7	19.8	57.1			36,341
IL, Geneseo	48G35	106	253.4	16.9	56.2	0.0	0.0	32,857
IL, Harvard	48G35	107	286.3	18.7	57.2	1.5	0.0	32,857
IL, Monmouth	48G35	99	225.6	17.5	52.0			36,341
IL, Onarga	48G35	98	239.0	19.7		0.0	0.0	33,852
IL, Rochelle	48G35	100	230.5	18.2	57.8	0.0	0.0	32,857
IL, Roseville	48G35	99	248.0	16.7	57.7	1.5	0.0	32,857
IL, Tonica	48G35	94	220.0	19.9	55.1	0.0	60.7	32,857
IL, Troy Grove	48G35	103	245.8	19.8	60.1			35,346
IN, Bluffton	48G35	101	219.8	15.5		0.0	0.0	28,626
IN, Brookston	48G35	93	217.3	17.4	55.8	1.5	0.0	32,857
IN, New Haven	48G35	110	228.4	16.5	56.0	2.2	0.0	33,852
IN, Wabash	48G35	99	235.7	21.4	52.5			33,852
KS, Colby	48G35	110	163.4	12.7	61.2	0.0		33,852
NE, Arlington	48G35	104	210.4	18.9	55.5	0.0	87.9	32,857
NE, Stanton	48G35	102	210.2	18.9	56.6	0.0	4.1	25,919
NE, Tekamah	48G35	78	165.0	18.0	57.4	0.0	26.8	31,861
OH, Findlay	48G35	106	202.7	16.8		0.0	0.0	33,355
WI, Janesville	48G35	102	228.2	19.4		0.0	0.0	33,604
*	48G35	101	225.2	17.8	57.1	0.6	9.2	32,612

2016 Replicated Trials: 103 – 112 Days



61A37 – 109 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	61A37	119	240.3	17.2	60.2	5.2	0.0	33,852
IA, Atlantic	61A37	113	239.6	14.8	59.2	0.2		28,712
IA, Bode	61A37	104	240.4	21.9	54.3	0.8	0.0	32,110
IA, Carroll	61A37	97	204.9	18.8	57.8	0.0	0.0	26,385
IA, DeWitt	61A37	101	243.8	17.0	60.4	1.5	0.0	33,852
IA, Luther	61A37	108	257.9	21.6	53.9	0.0	0.0	32,857
IA, Prairie City	61A37	107	241.6	20.0	56.4	0.0	0.0	31,612
IA, Reinbeck	61A37	110	248.0	17.8	55.8	0.0	0.0	32,110
IA, Richland	61A37	93	209.7	15.3	58.6	0.0	0.0	32,857
IA, Sheldon	61A37	111	263.1	23.3	58.7	0.0	0.0	33,852
IA, Slater	61A37	96	216.4	15.7	60.0	0.0	0.0	32,857
IL, Bloomington	61A37	105	208.6	16.9	57.7	0.0	0.0	33,852
IL, Flanagan	61A37	103	246.6	19.7	56.3			36,341
IL, Geneseo	61A37	109	260.4	18.1	57.0	0.0	37.9	32,857
IL, Harvard	61A37	107	284.5	20.1	56.3	0.0	0.0	32,857
IL, Monmouth	61A37	98	224.2	18.4	51.3			36,341
IL, Onarga	61A37	98	237.6	19.5		0.0	0.0	33,852
IL, Rochelle	61A37	102	235.1	19.6	58.0	0.0	0.0	32,857
IL, Roseville	61A37	102	255.9	18.2	56.9	0.0	0.0	32,857
IL, Tonica	61A37	115	268.8	19.6	56.4	0.0	37.9	32,857
IL, Troy Grove	61A37	110	261.6	18.7	61.1			35,346
IN, Bluffton	61A37	107	233.9	16.5		0.0	0.0	32,608
IN, Brookston	61A37	107	249.6	19.7	56.7	4.6	0.0	32,857
IN, New Haven	61A37	99	204.6	18.2	54.0	5.9	0.0	33,852
IN, Wabash	61A37	104	249.0	22.9	52.2			33,852
KS, Colby	61A37	105	156.1	15.1	61.5	0.0		33,852
NE, Arlington	61A37	113	228.8	19.2	55.3	3.0	25.8	32,857
NE, Stanton	61A37	103	212.4	20.0	56.1	0.0	0.0	28,532
NE, Tekamah	61A37	118	248.7	18.6	57.2	0.0	0.0	34,599
OH, Findlay	61A37	100	192.3	18.6		0.0	0.0	32,110
WI, Janesville	61A37	107	239.9	19.9		0.0	0.0	31,612
*	61A37	105	235.6	18.7	57.0	0.8	4.1	32,832

2016 Replicated Trials: 103 – 112 Days



65G55 – 111 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	65G55	116	234.5	16.4	61.1	1.5	15.5	33,852
IA, Atlantic	65G55	110	233.2	14.3	60.7	0.2		28,712
IA, Bode	65G55	101	234.5	22.7	54.1	0.8	0.0	32,110
IA, Carroll	65G55	100	211.8	18.6	58.1	0.0	1.8	27,381
IA, DeWitt	65G55	106	255.9	17.0	60.5	3.0	0.0	33,852
IA, Luther	65G55	103	246.2	21.3	54.2	0.0	0.0	32,857
IA, Prairie City	65G55	93	210.0	19.9	56.5	0.0	0.0	29,870
IA, Reinbeck	65G55	108	243.3	17.9	55.9	0.0	1.5	32,857
IA, Richland	65G55	99	223.6	15.5	59.6	0.0	0.0	32,857
IA, Sheldon	65G55	108	257.1	23.6	59.0	0.0	0.0	33,852
IA, Slater	65G55	102	229.5	16.0	60.6	0.0	0.0	32,857
IL, Bloomington	65G55	111	221.5	17.5	58.2	0.0	0.8	33,852
IL, Flanagan	65G55	107	257.0	20.4	55.3			36,341
IL, Geneseo	65G55	112	269.3	18.3	58.1	0.0	53.1	32,857
IL, Harvard	65G55	107	285.9	20.3	56.8	0.0	0.0	32,857
IL, Monmouth	65G55	99	226.0	19.1	52.3			36,341
IL, Onarga	65G55	95	231.3	21.1		0.0	0.0	33,852
IL, Rochelle	65G55	98	224.1	18.8	59.2	0.0	0.0	32,857
IL, Roseville	65G55	99	248.2	18.4	58.9	0.0	0.0	32,857
IL, Tonica	65G55	103	241.9	20.8	56.1	0.0	0.0	32,857
IL, Troy Grove	65G55	105	250.9	19.1	60.9			35,346
IN, Bluffton	65G55	99	215.1	16.4		0.0	0.0	32,857
IN, Brookston	65G55	91	212.5	20.1	57.1	4.6	0.0	32,857
IN, New Haven	65G55	100	206.4	20.4	53.3	4.4	0.0	33,852
IN, Wabash	65G55	95	225.9	25.7	53.3			33,852
KS, Colby	65G55	117	174.6	15.1	63.2	0.0		33,852
NE, Arlington	65G55	106	214.6	19.9	55.1	0.0	43.2	32,857
NE, Stanton	65G55	99	205.1	20.9	55.8	0.0	3.9	29,185
NE, Tekamah	65G55	109	230.9	19.1	56.8	0.0	10.2	31,861
OH, Findlay	65G55	102	195.0	19.2		0.0	0.0	31,861
WI, Janesville	65G55	110	245.3	20.0		0.0	0.0	29,621
*	65G55	103	231.0	19.1	57.4	0.5	5.2	32,701

2016 Replicated Trials: 103 – 112 Days



66G25 – 112 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	66G25	105	212.3	18.5	59.6	0.0	45.6	33,852
IA, Atlantic	66G25	97	206.3	15.0	60.6	0.0		30,119
IA, Bode	66G25	120	277.8	21.5	54.3	0.8	0.0	32,857
IA, Carroll	66G25	102	215.4	18.8	57.9	0.0	0.0	26,634
IA, DeWitt	66G25	101	243.8	17.9	59.9	0.8	0.0	33,852
IA, Luther	66G25	105	249.9	21.8	54.0	0.0	0.8	32,857
IA, Prairie City	66G25	94	212.4	19.7	56.7	0.0	0.0	29,372
IA, Reinbeck	66G25	104	235.8	18.7	55.5	1.6	0.0	32,110
IA, Richland	66G25	105	236.3	16.4	59.6	0.0	0.0	32,857
IA, Sheldon	66G25	103	246.1	23.7	59.5	3.7	0.0	33,852
IA, Slater	66G25	104	234.1	15.9	61.1	0.0	0.0	32,857
IL, Bloomington	66G25	101	201.1	17.9	59.2	0.0	0.0	33,852
IL, Flanagan	66G25	106	254.8	20.3	56.8			36,341
IL, Geneseo	66G25	112	267.8	18.8	58.8	0.0	0.0	32,857
IL, Harvard	66G25	105	278.8	20.6	58.0	0.0	0.0	32,857
IL, Monmouth	66G25	103	234.8	19.5	52.5			36,341
IL, Onarga	66G25	102	249.2	21.4		0.0	0.0	33,852
IL, Rochelle	66G25	113	260.4	19.1	58.9	0.0	0.0	32,857
IL, Roseville	66G25	112	281.0	17.5	60.0	0.0	0.0	32,857
IL, Tonica	66G25	113	264.0	20.8	57.7	0.0	0.0	32,857
IL, Troy Grove	66G25	107	255.6	19.4	60.7			35,346
IN, Bluffton	66G25	103	224.0	16.3		0.0	0.0	27,879
IN, Brookston	66G25	106	248.6	21.0	57.4	1.5	0.0	32,857
IN, New Haven	66G25	104	215.1	19.3	54.6	29.4	0.0	33,852
IN, Wabash	66G25	102	243.0	24.8	54.7			33,852
KS, Colby	66G25	113	168.5	15.6	62.4	0.0		33,852
NE, Arlington	66G25	122	246.7	20.3	54.9	0.0	92.4	32,857
NE, Stanton	66G25	105	216.1	21.7	55.4	0.0	3.2	27,661
NE, Tekamah	66G25	110	231.5	19.5	56.7	0.0	0.0	31,114
OH, Findlay	66G25	102	196.7	19.2		3.9	0.0	32,857
WI, Janesville	66G25	104	231.7	21.0		0.0	0.0	31,363
*	66G25	106	236.7	19.4	57.6	1.5	5.7	32,561

51T59 – 103 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	51T59	72	146.1	15.0	62.1	0.1	46.4	33,852
IA, Atlantic	51T59	96	204.9	13.8	59.3	0.0		31,363
IA, Bode	51T59	104	240.0	21.0	54.6	0.0	0.0	32,857
IA, Carroll	51T59	108	227.5	17.5	59.1	0.0	0.0	27,879
IA, DeWitt	51T59	105	253.9	16.6	60.7	0.8	0.0	33,852
IA, Luther	51T59	100	240.0	20.9	54.4	0.0	0.0	32,857
IA, Prairie City	51T59	95	214.5	19.3	56.8	0.0	0.0	27,132
IA, Reinbeck	51T59	95	213.9	16.7	56.5	1.5	0.0	32,857
IA, Richland	51T59	92	207.5	13.8	58.5	0.0	0.0	32,110
IA, Sheldon	51T59	102	242.6	20.4	59.6	1.5	0.0	33,852
IA, Slater	51T59	96	215.3	13.7	59.9	7.6	0.0	32,857
IL, Bloomington	51T59	93	185.0	15.0	58.3	0.0	0.0	33,852
IL, Flanagan	51T59	94	225.1	18.6	57.5			36,341
IL, Geneseo	51T59	99	237.7	18.5	58.9	0.0	75.8	32,857
IL, Harvard	51T59	110	293.6	19.1	57.8	0.0	0.0	32,857
IL, Monmouth	51T59	93	213.2	17.8	51.6			36,341
IL, Onarga	51T59	96	233.6	19.3		0.0	0.0	33,852
IL, Rochelle	51T59	112	256.5	17.4	59.2	0.0	0.0	32,857
IL, Roseville	51T59	97	243.0	17.1	59.0	3.0	0.0	32,857
IL, Tonica	51T59	102	239.5	18.5	57.0	0.0	53.1	32,857
IL, Troy Grove	51T59	96	230.1	18.6	61.0			35,346
IN, Bluffton	51T59	85	186.1	15.4		0.0	0.0	25,390
IN, Brookston	51T59	94	219.2	17.8	59.1	13.7	0.0	32,857
IN, New Haven	51T59	105	217.4	14.5	55.7	4.6	0.0	33,852
IN, Wabash	51T59	107	255.6	22.1	54.5			33,852
KS, Colby	51T59	89	132.0	14.3	61.9	0.0		33,852
NE, Arlington	51T59	103	209.4	19.2	55.3	0.0	91.7	32,857
NE, Stanton	51T59	100	205.6	18.7	56.7	0.0	0.0	27,225
NE, Tekamah	51T59	106	223.3	17.7	57.7	0.0	62.7	33,604
OH, Findlay	51T59	99	191.1	16.2		0.0	0.0	32,110
WI, Janesville	51T59	108	242.0	18.0		0.0	0.0	30,368
*	51T59	99	220.8	17.5	57.9	1.2	13.2	32,498

2016 Replicated Trials: 103 – 112 Days



56M30 – 106 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	56M30	111	224.5	16.3	60.9	1.5	23.6	33,852
IA, Atlantic	56M30	103	218.1	14.4	58.1	0.0		31,363
IA, Bode	56M30	103	237.1	20.3	55.1	1.5	0.0	32,857
IA, Carroll	56M30	100	210.3	17.5	59.1	0.0	0.0	30,865
IA, DeWitt	56M30	99	240.4	16.6	60.8	0.8	0.0	33,852
IA, Luther	56M30	102	243.4	19.6	54.7	0.0	0.0	32,857
IA, Prairie City	56M30	105	236.2	19.5	56.8	0.0	0.0	31,115
IA, Reinbeck	56M30	100	226.5	16.8	56.5	2.3	0.0	32,857
IA, Richland	56M30	99	223.7	14.1	58.3	0.0	0.0	32,857
IA, Sheldon	56M30	94	224.1	22.9	60.2	6.7	0.0	33,852
IA, Slater	56M30	102	228.7	14.1	59.9	0.0	0.0	32,857
IL, Bloomington	56M30	88	175.0	14.6	56.5	0.0	0.0	33,852
IL, Flanagan	56M30	94	225.4	18.9	56.2			36,341
IL, Geneseo	56M30	109	260.8	17.8	57.2	0.0	37.9	32,857
IL, Harvard	56M30	98	260.4	19.8	56.9	1.5	0.0	32,857
IL, Monmouth	56M30	98	224.9	17.2	51.9			36,341
IL, Onarga	56M30	96	234.4	18.5		0.0	0.0	33,852
IL, Rochelle	56M30	106	244.0	17.2	58.3	0.0	0.0	32,857
IL, Roseville	56M30	96	240.5	16.5	58.7	1.5	0.0	32,857
IL, Tonica	56M30	90	209.4	18.7	56.1	0.0	75.8	32,857
IL, Troy Grove	56M30	94	225.4	18.7	61.1			35,346
IN, Bluffton	56M30	94	204.5	15.2		0.0	0.0	30,368
IN, Brookston	56M30	111	259.4	18.4	58.0	4.7	0.0	32,857
IN, New Haven	56M30	98	204.1	16.2	54.5	6.6	0.0	33,852
IN, Wabash	56M30	98	235.1	21.9	53.6			33,852
KS, Colby	56M30	105	157.0	14.0	61.5	3.7		33,852
NE, Arlington	56M30	89	181.0	19.4	55.4	3.8	84.9	32,857
NE, Stanton	56M30	102	209.9	18.9	56.7	0.0	12.8	27,225
NE, Tekamah	56M30	112	235.9	17.4	58.1	0.0	9.5	31,363
OH, Findlay	56M30	91	175.2	16.0		6.1	0.8	31,613
WI, Janesville	56M30	104	233.5	18.7		0.0	0.0	31,861
*	56M30	100	222.8	17.6	57.4	1.5	9.8	32,868

2016 Replicated Trials: 103 – 112 Days



57A30 – 107 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	57A30	120	243.5	16.3	60.8	1.5	2.2	33,852
IA, Atlantic	57A30	99	210.4	14.1	58.4	0.0		30,119
IA, Bode	57A30	93	214.5	20.8	54.8	0.8	0.0	32,110
IA, Carroll	57A30	105	221.9	18.7	57.5	0.0	0.0	27,630
IA, DeWitt	57A30	100	241.6	17.4	60.0	0.8	0.0	33,852
IA, Luther	57A30	95	228.0	20.6	54.2	0.0	2.3	32,857
IA, Prairie City	57A30	107	240.7	19.5	56.8	0.0	0.0	30,617
IA, Reinbeck	57A30	102	229.7	17.8	55.9	0.0	0.0	32,857
IA, Richland	57A30	101	227.7	14.6	56.4	3.8	0.0	32,857
IA, Sheldon	57A30	96	228.5	21.9	58.3	2.9	0.0	33,852
IA, Slater	57A30	98	219.3	15.0	59.1	0.0	0.0	32,857
IL, Bloomington	57A30	106	212.1	15.4	56.4	0.0	0.0	33,852
IL, Flanagan	57A30	98	236.3	20.0	55.7			36,341
IL, Geneseo	57A30	109	262.1	17.4	57.2	0.0	0.0	32,857
IL, Harvard	57A30	96	257.1	19.5	55.7	1.5	1.5	32,857
IL, Monmouth	57A30	107	245.7	17.0	50.5			36,341
IL, Onarga	57A30	104	252.6	18.9		0.8	0.0	33,852
IL, Rochelle	57A30	105	240.3	18.1	57.6	0.0	0.0	32,857
IL, Roseville	57A30	102	256.1	18.5	56.0	0.0	0.0	32,857
IL, Tonica	57A30	115	268.7	19.3	54.9	0.0	39.4	32,857
IL, Troy Grove	57A30	108	256.5	19.0	60.8			35,346
IN, Bluffton	57A30	99	215.2	15.4		0.0	0.0	28,874
IN, Brookston	57A30	91	213.2	19.1	55.0	3.8	0.0	32,857
IN, New Haven	57A30	95	196.2	18.3	54.1	0.0	0.0	33,852
IN, Wabash	57A30	89	212.2	21.6	53.1			33,852
KS, Colby	57A30	95	142.2	13.3	61.8	4.5		33,852
NE, Arlington	57A30	101	204.6	19.4	55.4	0.0	85.7	32,857
NE, Stanton	57A30	93	191.7	18.2	56.9	0.0	0.0	27,661
NE, Tekamah	57A30	102	214.7	18.5	57.1	0.0	9.5	31,613
OH, Findlay	57A30	103	197.2	17.3		0.0	0.0	31,364
WI, Janesville	57A30	94	210.0	18.7		0.0	0.0	30,866
*	57A30	101	225.5	18.0	56.7	0.8	5.6	32,617

2016 Replicated Trials: 103 – 112 Days



62G22 – 110 RM

Location	Variety	Yield %Mn	Yield	Moist	TW	% SL	% RL	Popn.
IA, Alburnett	62G22	119	240.7	16.0	61.1	3.0	2.9	33,852
IA, Atlantic	62G22	107	228.1	14.6	57.5	0.2		31,201
IA, Bode	62G22	99	229.2	20.8	54.7	1.7	0.0	30,866
IA, Carroll	62G22	104	218.3	18.6	57.6	1.8	0.0	28,128
IA, DeWitt	62G22	109	264.0	17.7	59.7	1.5	0.0	33,852
IA, Luther	62G22	101	240.4	21.6	53.9	0.0	0.0	32,857
IA, Prairie City	62G22	101	226.8	20.3	56.1	0.0	0.0	32,608
IA, Reinbeck	62G22	111	249.7	17.9	55.7	0.0	0.0	32,857
IA, Richland	62G22	96	216.0	14.7	58.2	0.0	0.0	32,110
IA, Sheldon	62G22	109	259.6	22.1	56.9	0.8	0.0	33,852
IA, Slater	62G22	110	246.5	14.8	58.7	0.0	0.0	32,857
IL, Bloomington	62G22	104	207.4	16.1	57.8	0.2	0.0	33,852
IL, Flanagan	62G22	104	248.6	19.9	54.3			36,341
IL, Geneseo	62G22	100	239.3	18.5	55.7	0.0	75.8	32,857
IL, Harvard	62G22	101	268.5	20.3	55.1	1.5	0.0	32,857
IL, Monmouth	62G22	93	213.8	18.8	49.7			36,341
IL, Onarga	62G22	105	255.5	19.4		0.0	0.0	33,852
IL, Rochelle	62G22	100	228.8	19.6	56.4	0.0	0.0	32,857
IL, Roseville	62G22	108	270.6	17.6	56.2	0.0	0.0	32,857
IL, Tonica	62G22	108	253.6	19.4	54.8	0.0	60.7	32,857
IL, Troy Grove	62G22	113	270.1	19.1	60.7			35,346
IN, Bluffton	62G22	98	213.2	15.8		0.0	0.0	27,381
IN, Brookston	62G22	96	223.7	19.7	54.9	9.9	0.0	32,857
IN, New Haven	62G22	104	215.4	18.0	52.3	9.6	0.0	33,852
IN, Wabash	62G22	102	242.6	21.0	51.6			33,852
KS, Colby	62G22	117	174.5	14.1	61.9	3.0		33,852
NE, Arlington	62G22	104	211.5	19.2	55.2	0.0	60.6	32,857
NE, Stanton	62G22	120	247.3	19.4	56.1	0.8	0.0	30,275
NE, Tekamah	62G22	100	211.2	19.4	56.6	0.0	12.7	33,106
OH, Findlay	62G22	102	195.7	17.4		0.0	0.0	33,355
WI, Janesville	62G22	93	207.1	19.0		0.0	0.0	32,110
*	62G22	104	232.8	18.4	56.2	1.2	8.5	32,856