

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	14A91	130.2	92	15.25	56.5	19.1	0.0	32,912
MI, Fowler	14A91	149.9	88	16.99	58.5	29.4	0.0	32,912
MI, Reese	14A91	150.3	85	20.29		0.0	0.0	27,588
MN, Glyndon	14A91	183.9	92	16.99	53.9			31,460
MN, Hayfield	14A91	191.4	92	15.58	57.5	4.4	0.0	32,912
MN, Jackson	14A91	147.6	84	14.05	56.2	9.9	0.0	33,106
MN, Wendall	14A91	181.9	86	12.66	56.0	0.9	0.0	27,588
MN, Winnebago	14A91	153.0	83	13.10	55.8	1.3	0.0	32,670
MN, Broton	14A91	177.7	88	17.35	53.3	5.4	0.0	31,460
MN, Pipestone	14A91	174.2	98	15.10	55.6	2.5	0.0	29,040
MN, Plato	14A91	176.8	80	14.00	54.5	0.0	0.0	31,460
MN, Sanborn	14A91	175.9	94	15.05	55.6	3.9	1.6	30,250
MN, Sleepy Eye	14A91	176.2	84	14.10	55.8	11.6	0.0	31,460
MN, St Cloud	14A91	156.4	89	15.05	53.3	0.0	0.0	31,460
MN, Stewartville	14A91	183.1	86	16.75	54.3	0.9	0.0	30,250
MN, Wells	14A91	185.3	90	14.60	58.0	0.0	0.0	31,460
MN, Morris	14A91	175.6	87	11.09	56.3			33,880
ND, Abercrombie	14A91	108.9	97	11.56	50.0	1.6	0.0	26,572
ND, Chaffee	14A91	177.0	100	18.00	55.8	0.0		33,154
NY, Waterloo	14A91	188.1	95	14.93	53.5	28.6	0.0	26,572
SD, Aberdeen	14A91	101.6	77	14.19	60.4			25,265
SD, Erwin	14A91	118.0	84	18.41	60.1	13.6	0.0	28,556
WI, DeForrest	14A91	178.0	89	18.50	61.4			31,363
<b>All Loc. Average</b>	<b>14A91</b>	<b>162.6</b>	<b>89</b>	<b>15.37</b>	<b>56.0</b>	<b>7.0</b>	<b>0.1</b>	<b>30,305</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	18N16	152.5	108	16.60	58.1	4.4	0.0	32,912
MI, Fowler	18N16	179.8	106	17.40	60.8	4.0	0.0	29,766
MI, Reese	18N16	184.0	104	20.83		4.9	0.0	29,766
MN, Glyndon	18N16	205.4	103	16.67	56.8			29,282
MN, Hayfield	18N16	210.3	101	16.81	61.8	8.6	0.0	30,976
MN, Jackson	18N16	82.3	47	14.75	52.3	52.7	0.0	33,106
MN, Wendall	18N16	206.0	98	15.13	60.1	1.6	1.8	28,556
MN, Winnebago	18N16	161.0	87	14.60	58.4	0.7	0.0	32,670
MN, Broton	18N16	203.0	100	20.60	56.9	8.0	0.0	29,040
MN, Pipestone	18N16	152.6	86	15.95	56.3	0.9	0.0	30,250
MN, Plato	18N16	218.0	98	16.10	59.3	0.0	0.0	31,460
MN, Sanborn	18N16	177.2	95	17.30	58.7	12.3	0.0	30,250
MN, Sleepy Eye	18N16	205.8	99	16.85	58.4	1.6	0.0	31,460
MN, St Cloud	18N16	165.2	94	19.45	55.3	0.0	0.0	31,460
MN, Stewartville	18N16	209.1	98	18.90	57.3	0.0	0.0	29,040
MN, Wells	18N16	211.0	102	17.50	61.5	0.0	0.0	31,460
MN, Morris	18N16	215.7	107	13.70	59.2			33,880
ND, Abercrombie	18N16	125.9	113	11.98	59.8	0.0	0.0	27,007
ND, Chaffee	18N16	215.1	121	18.60	55.5	0.0		28,072
NY, Waterloo	18N16	212.7	108	16.26	58.0	22.1	0.0	29,185
SD, Aberdeen	18N16	144.4	109	14.19	61.7			26,572
SD, Erwin	18N16	149.3	106	18.22	56.5	20.4	1.7	27,588
WI, DeForrest	18N16	180.7	90	20.85	59.6			31,363
<b>All Loc. Average</b>	<b>18N16</b>	<b>181.2</b>	<b>99</b>	<b>16.92</b>	<b>58.3</b>	<b>7.5</b>	<b>0.2</b>	<b>30,022</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	23A71	130.9	93	16.00	56.7	21.3	0.0	32,912
MI, Fowler	23A71	146.2	86	17.22	58.4	22.1	0.0	32,912
MI, Reese	23A71	181.3	103	21.93		0.9	0.0	28,556
MN, Glyndon	23A71	186.5	94	16.03	53.5			30,976
MN, Hayfield	23A71	187.7	90	16.12	58.8	0.8	0.0	32,670
MN, Jackson	23A71	165.3	94	13.75	57.0	11.9	0.0	33,106
MN, Wendall	23A71	216.1	103	13.38	58.3	4.3	1.7	30,492
MN, Winnebago	23A71	152.7	83	12.60	56.6	6.7	0.0	32,670
MN, Broton	23A71	211.7	104	18.05	56.5	10.0	0.0	31,460
MN, Pipestone	23A71	189.0	106	15.25	57.0	10.0	0.0	31,460
MN, Plato	23A71	211.8	95	14.45	57.2	0.0	0.0	31,460
MN, Sanborn	23A71	175.2	94	15.60	56.8	16.7	2.3	30,250
MN, Sleepy Eye	23A71	204.5	98	15.45	57.5	7.7	0.0	31,460
MN, St Cloud	23A71	168.0	96	16.39	52.7	1.0	0.0	31,460
MN, Stewartville	23A71	219.5	103	17.30	55.9	2.3	0.0	31,460
MN, Wells	23A71	198.1	96	14.90	59.9	2.3	0.0	31,460
MN, Morris	23A71	208.0	103	11.99	58.4			32,428
ND, Abercrombie	23A71	82.3	74	11.67	36.6	1.7	2.5	26,136
ND, Chaffee	23A71	145.9	82	18.40	56.2	0.0		29,524
NY, Waterloo	23A71	183.4	93	17.02	58.0	14.7	5.0	23,958
SD, Aberdeen	23A71	120.8	91	14.96	61.0			25,265
SD, Erwin	23A71	125.6	89	17.94	54.9	13.4	0.0	30,976
WI, DeForrest	23A71	188.7	94	18.45	61.5			31,363
<b>All Loc. Average</b>	<b>23A71</b>	<b>173.8</b>	<b>95</b>	<b>15.86</b>	<b>56.3</b>	<b>7.8</b>	<b>0.6</b>	<b>30,611</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	27B16	175.4	125	16.50	57.7	6.6	0.0	32,912
MI, Fowler	27B16	194.8	115	17.73	60.4	20.4	0.0	26,076
MI, Reese	27B16	180.4	102	22.52		4.7	0.0	27,346
MN, Glyndon	27B16	193.5	97	17.57	53.3			29,282
MN, Hayfield	27B16	239.4	115	17.31	61.1	2.4	0.0	31,218
MN, Jackson	27B16	219.2	125	17.75	57.8	7.3	0.0	33,106
MN, Wendall	27B16	229.0	109	17.30	57.9	0.8	0.0	31,944
MN, Winnebago	27B16	206.5	112	16.05	57.9	2.0	0.0	32,670
MN, Broton	27B16	243.3	120	21.10	56.8	4.6	0.0	31,460
MN, Pipestone	27B16	161.0	91	16.50	57.3	6.2	0.0	30,250
MN, Plato	27B16	257.0	116	15.70	57.4	0.0	0.0	30,250
MN, Sanborn	27B16	191.2	103	18.20	57.9	7.2	0.9	30,250
MN, Sleepy Eye	27B16	212.0	102	18.40	58.5	4.7	0.0	31,460
MN, St Cloud	27B16	192.1	110	20.79	53.2	1.0	0.0	31,460
MN, Stewartville	27B16	195.7	92	20.80	56.4	0.8	0.0	31,460
MN, Wells	27B16	212.9	103	18.25	61.1	0.0	0.0	31,460
MN, Morris	27B16	197.4	97	14.83	59.0			33,880
ND, Abercrombie	27B16	120.3	108	12.33	59.2	0.0	0.0	26,572
ND, Chaffee	27B16	175.3	99	18.00	56.4	0.0		30,976
NY, Waterloo	27B16	178.1	90	17.93	58.5	36.9	0.0	29,621
SD, Aberdeen	27B16	137.6	104	16.37	63.1			25,701
SD, Erwin	27B16	136.2	97	18.33	54.2	26.8	0.0	27,104
WI, DeForrest	27B16	215.5	108	19.50	60.6			31,363
<b>All Loc. Average</b>	<b>27B16</b>	<b>194.1</b>	<b>106</b>	<b>17.81</b>	<b>58.0</b>	<b>7.0</b>	<b>0.0</b>	<b>30,235</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	33A16	166.6	118	19.45	57.3	4.4	0.0	32,912
MI, Fowler	33A16	174.8	103	18.74	59.8	3.7	0.0	32,912
MI, Reese	33A16	194.2	110	24.06		4.4	0.0	27,588
MN, Glyndon	33A16	210.9	106	18.29	53.7			31,944
MN, Hayfield	33A16	217.8	104	17.79	60.5	5.9	0.0	32,912
MN, Jackson	33A16	181.3	103	18.00	57.4	10.5	0.7	33,106
MN, Wendall	33A16	193.8	92	17.51	57.2	2.6	0.0	29,040
MN, Winnebago	33A16	193.3	105	15.75	57.3	1.4	0.0	32,670
MN, Broton	33A16	202.3	100	22.05	56.8	9.6	0.0	30,250
MN, Pipestone	33A16	177.4	100	20.02	57.7	11.2	0.1	31,547
MN, Plato	33A16	232.5	105	17.10	57.2	1.6	0.0	31,460
MN, Sanborn	33A16	182.4	98	18.75	55.7	1.7	0.0	29,040
MN, Sleepy Eye	33A16	205.7	99	19.55	57.2	4.6	26.6	30,250
MN, St Cloud	33A16	188.0	107	22.45	52.4	0.0	0.0	31,460
MN, Stewartville	33A16	243.5	114	20.65	56.9	0.9	0.0	30,250
MN, Wells	33A16	218.6	106	19.50	59.4	0.0	0.0	30,250
MN, Morris	33A16	218.0	108	17.10	57.2			33,880
ND, Abercrombie	33A16	112.7	101	13.44	56.3	0.0	0.0	26,136
ND, Chaffee	33A16	204.4	115	19.20	55.4	0.0		26,862
NY, Waterloo	33A16	182.9	93	17.12	56.4	27.8	2.4	27,443
SD, Aberdeen	33A16	131.7	100	16.05	62.7			26,136
SD, Erwin	33A16	157.0	112	18.35	56.1	17.9	0.0	27,104
WI, DeForrest	33A16	235.3	118	18.75	61.5			31,363
<b>All Loc. Average</b>	<b>33A16</b>	<b>192.4</b>	<b>105</b>	<b>18.68</b>	<b>57.3</b>	<b>5.7</b>	<b>1.6</b>	<b>30,030</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	33ND10	167.1	119	19.90	56.7	13.2	0.0	32,912
MI, Fowler	33ND10	172.2	101	20.56	58.4	8.6	0.0	30,492
MI, Reese	33ND10	177.9	101	24.90		11.1	0.0	30,734
MN, Glyndon	33ND10	208.9	105	16.86	55.9			30,734
MN, Hayfield	33ND10	207.3	99	18.79	59.8	12.5	0.0	32,912
MN, Jackson	33ND10	216.4	123	18.98	56.5	1.8	4.0	33,106
MN, Wendall	33ND10	229.6	109	19.14	57.2	0.9	3.5	28,072
MN, Winnebago	33ND10	220.5	120	18.15	56.7	0.0	4.0	32,670
MN, Broton	33ND10	226.3	112	23.85	58.6	4.7	2.3	31,460
MN, Pipestone	33ND10	187.4	105	21.55	57.4	12.3	1.5	31,460
MN, Plato	33ND10	239.4	108	20.25	56.9	4.6	0.0	31,460
MN, Sanborn	33ND10	201.2	108	20.85	56.7	19.9	0.0	30,250
MN, Sleepy Eye	33ND10	243.9	117	21.30	57.2	6.3	9.0	30,250
MN, St Cloud	33ND10	183.5	105	23.00	54.8	7.7	0.0	31,460
MN, Stewartville	33ND10	230.8	108	21.90	55.8	0.9	0.0	30,250
MN, Wells	33ND10	231.2	112	20.40	60.1	0.0	3.9	31,460
MN, Morris	33ND10	196.7	97	17.76	57.1			34,103
ND, Abercrombie	33ND10	84.1	75	15.35	44.7	0.4	6.7	26,852
ND, Chaffee	33ND10	191.5	108	18.35	56.3	0.0		29,524
NY, Waterloo	33ND10	179.7	91	20.34	60.4	33.5	0.0	24,829
SD, Aberdeen	33ND10	150.1	114	17.26	62.3			27,007
SD, Erwin	33ND10	146.7	104	21.88	55.0	10.2	0.0	30,976
WI, DeForrest	33ND10	234.3	117	21.20	58.8			31,363
<b>All Loc. Average</b>	<b>33ND10</b>	<b>196.8</b>	<b>107</b>	<b>20.11</b>	<b>57.0</b>	<b>7.8</b>	<b>1.9</b>	<b>30,406</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	34C17	149.5	106	16.40	57.7	2.2	0.0	32,912
MI, Fowler	34C17	179.2	105	17.44	58.0	3.7	0.0	30,734
MI, Reese	34C17	156.8	89	21.90		0.0	0.0	23,958
MN, Glyndon	34C17	209.6	105	16.97	54.7			31,944
MN, Hayfield	34C17	205.6	98	16.47	59.5	0.0	0.0	31,944
MN, Jackson	34C17	181.2	103	14.65	56.5	0.0	0.0	33,106
MN, Wendall	34C17	233.6	111	14.76	58.6	0.0	0.0	30,976
MN, Winnebago	34C17	194.7	106	14.05	56.7	0.0	0.0	32,670
MN, Broton	34C17	209.0	103	19.90	57.6	4.6	0.0	31,460
MN, Pipestone	34C17	187.5	105	16.30	55.3	2.4	0.0	30,250
MN, Plato	34C17	234.2	105	15.80	56.9	0.0	0.0	31,460
MN, Sanborn	34C17	174.2	94	16.10	55.1	15.4	1.5	31,460
MN, Sleepy Eye	34C17	231.0	111	16.65	56.4	1.6	0.0	31,460
MN, St Cloud	34C17	182.7	104	17.50	54.5	0.0	0.0	31,460
MN, Stewartville	34C17	231.0	108	20.45	54.8	0.0	0.0	31,460
MN, Wells	34C17	198.1	96	16.45	59.0	0.0	0.0	31,460
MN, Morris	34C17	225.4	111	14.39	58.2			33,880
ND, Abercrombie	34C17	113.5	102	12.49	53.8	0.0	0.0	27,007
ND, Chaffee	34C17	158.3	89	17.75	56.0	0.0		29,766
NY, Waterloo	34C17	197.8	100	16.17	55.4	10.1	15.7	28,314
SD, Aberdeen	34C17	137.5	104	15.65	60.2			27,879
SD, Erwin	34C17	136.7	97	17.09	57.5	11.8	1.7	28,556
WI, DeForrest	34C17	200.7	100	19.25	60.9			31,363
<b>All Loc. Average</b>	<b>34C17</b>	<b>188.2</b>	<b>103</b>	<b>16.72</b>	<b>56.9</b>	<b>2.7</b>	<b>1.0</b>	<b>30,605</b>

## 2017 Replicated Trials: 82 – 92 Days

Location	Variety	Yield	Yld %Mn	Moist	TW	%SL	%RL	Popn.
MI, Charlotte	35M70	126.4	90	18.85	56.5	11.0	0.0	32,912
MI, Fowler	35M70	179.2	105	19.10	58.0	0.0	0.0	27,588
MI, Reese	35M70	168.4	95	23.38		1.7	0.0	27,588
MN, Glyndon	35M70	179.9	90	18.39	54.2			29,766
MN, Hayfield	35M70	205.2	98	16.99	59.6	8.9	0.0	32,912
MN, Jackson	35M70	197.5	113	16.88	56.4	0.0	0.1	33,106
MN, Wendall	35M70	233.1	111	16.09	55.7	1.7	0.0	29,040
MN, Winnebago	35M70	182.3	99	15.65	55.7	0.0	0.0	32,670
MN, Broton	35M70	186.3	92	21.00	54.4	13.1	0.0	31,460
MN, Pipestone	35M70	195.2	110	18.20	55.9	7.0	0.0	31,460
MN, Plato	35M70	196.6	88	16.45	55.0	1.6	0.0	31,460
MN, Sanborn	35M70	184.8	99	17.55	54.9	0.0	0.0	31,460
MN, Sleepy Eye	35M70	215.0	103	18.55	56.1	0.8	0.0	31,460
MN, St Cloud	35M70	194.7	111	20.31	51.1	0.8	0.0	29,040
MN, Stewartville	35M70	212.9	100	19.80	52.2	0.0	0.0	31,460
MN, Wells	35M70	221.4	107	18.95	58.5	0.0	0.0	31,460
MN, Morris	35M70	207.4	102	14.95	56.2			33,880
ND, Abercrombie	35M70	134.6	120	12.76	57.4	0.0	0.0	27,007
ND, Chaffee	35M70	182.6	103	17.20	57.0	0.0		31,460
NY, Waterloo	35M70	225.7	114	17.10	57.3	23.3	0.0	26,572
SD, Aberdeen	35M70	155.7	118	15.66	60.4			24,394
SD, Erwin	35M70	147.7	105	18.92	54.8	8.8	0.0	28,556
WI, DeForrest	35M70	210.3	105	22.35	58.2			31,363
<b>All Loc. Average</b>	<b>35M70</b>	<b>188.8</b>	<b>103</b>	<b>18.05</b>	<b>56.1</b>	<b>4.1</b>	<b>0.0</b>	<b>30,145</b>





## 2017 Replicated Trials: 82 – 92 Days